

HARVEY COUNTY ENVIRONMENTAL DEPT

HARVEY COUNTY COURTHOUSE * P.O. BOX 687 * NEWTON, KANSAS 67114

MINIMUM SEPARATION DISTANCES FOR WATER WELL:

AREA	MINIMUM DISTANCE
House	50'
Property Line	25'
Septic Tank/Absorption Field	100'
Waste Stabilization Pond (Lagoon)	100'
Sewer Lines	50'
Barnyards, Stables, Animal Pens	100'
Streams, Lakes, Ponds	50'
Pit Privy	100'

MINIMUM SEPARATION DISTANCES FOR SEPTIC TANK-LATERAL FIELD SYSTEM:

Private Water Well	100'
Property Line	100'
House It Serves/Other Buildings	10' (septic tank)
House It Serves/Other Buildings	25' (lateral fields)
Streams, Lakes, Ponds	100'
Existing Public Sewer System	400'
Public Water Well	100'
Public Water Transmission Lines	25'

MINIMUM SEPARATION DISTANCES FOR WASTE STABILIZATION POND (LAGOON):

Private Water Well	100'
Property Line, including right of ways	100'
Property Line, with Written Permission of Adjacent Property Owner	50'
House It Serves	100'
Other Residential Structures	250'
Streams, Lakes, Ponds	100'
Existing Public Sewer System	400'
Public Water Well	100'
Public Water Transmission Lines	25'